

MT-465019/NVD

4.9-6.1 GHz 17/19dBi Subscriber Antenna



Specifications


MTI PART NUMBER		MT – 465019/NDV			
ELECTRICAL					
REGULATORY COMPLIANCE	RoHS , CE 0682				
FREQUENCY RANGE	4.9-6.1 GHz				
GAIN	19 dBi (min) Vertical 17 dBi (min) Dual Slant				
VSWR	1.8 : 1 (max) 1.5 ; 1 (typ)				
3dB BEAMWIDTH	20° (typ)				
POLARIZATION	Triple Polarization				
SIDELOBES LEVEL	-15				
CROSS POLARIZATION	-20				
F/B RATIO	- 35 dB (max)				
INPUT IMPEDANCE	50 (ohm)				
INPUT POWER	6W (max)				
LIGHTNING PROTECTION	DC Grounded				
MECHANICAL					
DIMENSIONS (LxWxD)	305x305x15mm (max)				
WEIGHT	1.5 (kg) (max)				
CONNECTOR	3*N-Type Female				
RADOME	Plastic				
BASE PLATE	Aluminum with chemical conversion coating				
OUTLINE DRAWING	See page 2				
MOUNTING KIT	120018/A				
ENVIRONMENTAL					
TEST	STANDARD	DURATION	TEMPERTURE	NOTES	
LOW TEMPERATURE	IEC 68-2-1	72 h	-55°C	-	
HIGH TEMPERATURE	IEC 68-2-2	72 h	+71°C	-	
TEMP. CYCLING	IEC 68-2-14	1 h	-45°C +70°C	3 Cycles	
VIBRATION	IEC 60721-3-4	30 min/axis	-	Random4M3	
SHOCK MECHANICAL	IEC 60721-3-4	-	-	4M3	
HUMIDITY	ETSI EN300-2-4 T4.1E	144 h	-	95%	
WATER TIGHTNESS	IEC 529	-	-	IP67	
SOLAR RADIATION	ASTM G53	2000 h	-	-	
SALT SPRAY	IEC 68-2-11 Ka	500 h	-	-	
ICE AND SNOW	-	-	-	25mm Radial	
WIND SPEED SURVIVAL	-	-	-	220 Km/h	
OPERATION	-	-	-	160 Km/h	
WIND LOAD (SURVIVAL)	-	-	-	26.8 kg	
FRONT THRUST	-	-	-	1.3 kg	
SIDE THRUST	-	-	-	-	

4.9-6.1 GHz 17/19dBi Subscriber Antenna

Azimuth Radiation Pattern
 Midband Freq. 4.9 GHz

Elevation Radiation Pattern
 Midband Freq. 4.9 GHz

Dimensions [mm]



TI group is certified according to ISO 9001 and ISO 14001.

WAIVER!

While the information contained in this document has been carefully compiled to the best of our present knowledge, it is not intended as presentation or warranty of any kind on our part regarding the fitness of the products concerned for any particular use or purpose and neither shall any statement contained herein be construed as a recommendation to infringe any industrial property rights or as a license to use any such rights. The fitness of each product for any particular purpose must be checked beforehand with our specialists.

MTI Wireless Edge Ltd.

11 Hamelacha St.
 Afek Industrial Park
 Rosh Ha'ayin 48091, Israel
 Tel: +972-3-9008900
 Fax: +972-3-9008901
www.mtiwe.com